

INDEX

References are to paragraph numbers except where specified otherwise.

- acquired immunodeficiency syndrome (AIDS), 4-17b
- adaptation
 combat skills, 2-8a
 decline of, 2-8d
 restoration of, 2-8e
 optimal combat skills, 2-8b
 overstressed veteran, 2-8c
 phases of adaptation to combat, Figure 2-2
 stage of alarm, 2-7a
 stage of exhaustion, 2-7c
 stage of resistance, 2-7b
 stages of adaptation to a threatening situation, 2-7
- aerobic fitness, 2-4a(2)
- after-action debriefing, 9-5f, A-2c, A-4b(3)
 caution, 6-2h
 small group, Table 6-2, 6-2f—g
- air dimension and battle fatigue, 10-2g
- Aleutian Islands, 1-4b(3)
- amnesia, 5-3d
- antiterrorism, 9-4a(2)
- Army band, 1-7d, Appendix C
 military ceremonies, C-6
 mission, C-4
 religious support, C-7
- Army combat operations (engagement), 9-1b(2)
- Army defensive operations, 8-4
 battle fatigue, 8-5
 battle fatigue casualties, 8-5
 stress, 8-5
- Army Medical Department functional areas, B-1
- Army offensive operations
 battle fatigue, 8-3a
 stress, 8-2a, 8-3a
- Army operations, 7-4a
 basic tenets, 7-4a(1)
 agility, Table 7-1
 depth, Table 7-1
 initiative, Table 7-1
 synchronization, Table 7-1
 versatility, Table 7-1
 endurance, 7-5
 other than war, Table 1-1, 1-3c, 1-4c—d, 1-5e, 7-3a, 9-1
- Army operations
 other than war (*continued*)
 types of operations, 9-5a
 combatting terrorism, 9-4
 terrorist, 9-1b
 terrorist and guerrilla tactics and stressors, 9-1b(1)
 terrorist attack, stress control issues and recommendations, Table 9-2
 terrorist threat, 9-4a
 counterinsurgency operations, 9-2a
 Foreign Internal Defense, 9-3
 Internal Defense and Development, 9-3
 mental health considerations, Table 9-3
 insurgency operations, 9-2a—b
 special operations force, 9-2b
 stress considerations, Table 9-2
 stress control, Table 9-2
 peacemaking operations, 9-5g
 peacetime contingency operations, 9-5
 attacks and raids, 9-5b
 disaster relief operation, 9-5e
 noncombatant evacuation operations, 9-5f
 rescue and recovery operations, 9-5d
 show of force, 9-5c
 stress control, 9-1a, Table 9-6
 stress problems, 9-6
 stress producing aspects, Table 9-1
 retrograde operations, stress, 8-4f
 stress issues, Table 7-1
 atrocities by the enemy, 4-19k
 battle fatigue, 1-1, 1-4c(1), 1-5d—e, 1-9, Table 2-2, 2-6e, 2-8, 2-9a, 2-9d, 2-10, 2-11a—c, 4-13d, 4-16, 4-17b, 4-19g—i, 4-20a, Chapter 5, 6-1e, 6-2h(3), 7-1, 9-2a(2)
 casualties, 2-11c, 10-2f, D-3—4
 common signs and warning signs, Appendix E
 contributing factors, 5-2
 cumulative exposure, 5-2b
 home front and preexisting problems, 5-2d
 physical stressors and stress symptoms, 5-2c
 sudden exposure, 5-2

- battle fatigue (*continued*)
 - definition, 2-9*d*, p. E-3
 - forms of
 - anxious, 5-3*b*
 - depressed, 5-3*c*
 - disruptive, 5-3*g*
 - psychosomatic, 5-3*f*
 - internal conflict of motives, 5-2*e*
 - label, 5-4
 - loss of confidence, 5-2*e*
 - memory loss, 5-3*d*
 - physical function disturbance, 5-3*e*
 - prevention, 11-1—2, Appendix E
 - restoration treatment, 8-3*e*
 - risk factors
 - casualties in the unit, A-4*a*
 - cumulative combat exposure, A-12
 - first exposure to a major stressor, A-3*a*
 - immobility, A-6
 - signs and symptoms, 5-3, 5-4*b* and *f*
 - lack of information, A-7
 - manage the old veteran or short-timer syndrome, A-12*b*
 - NBC threat and use, A-8
 - physically run down, A-10*a*
 - dehydration, A-10*a*(1)
 - diet, A-10*a*(2)
 - poor hygiene, A-10*a*(3)
 - stress-related illness, A-10*a*(4)
 - problems and uncertainties on the home front, A-1
 - sleep loss, A-9*a*. (*See also* sleep.)
 - soldier is new to the unit, A-2
 - under attack and unable to strike back, A-5*a*
 - sublabeling, 5-4*d*—*e*, Appendix E
 - duty, 5-4*d*
 - heavy, 5-4*d*
 - hold, 5-4*d*
 - light, 5-4*d*
 - refer, 5-4*d*
 - rest, 5-4*d*
 - treatment
 - initial, 5-4*b*
 - response to, 5-5*a*
 - success rate, 5-5*d*
- battle losses, A-4*b*
- Battle of Okinawa, 1-4*b*(2)
- Battle of the Bulge, 1-4*b*(4)
- battle paralysis, 10-2*a*
- battle shock, 5-1*c*, 10-2*a*, p. E-5
- battle stress, 1-6*d*
- behaviors, stress induced, 4-7*d*
- bonding, 3-7
 - horizontal, 3-8, 3-9*b*, A-2*a*(3)
 - personal, 3-7, A-2*a*(4)
 - vertical, 3-8, 3-9*b*
- burnout, 6-1*b*
- casualty care, p. E-12
- catastrophic events, Table 1-1
- ceremonies
 - military, C-6
 - religious, C-7
- chain of command, 1-7*b*, 7-2*c*, A-7*b*
- chaplain, 1-1, 1-3*a* and *c*, 1-4*d*, 1-5*b*, 1-7*e*, 1-9, D-1, D-5*b*
 - assistant, D-1
- clinical psychologist, 1-8*a*, B-4*d*
- cohesion, 3-7. (*See also* unit cohesion.)
 - cohesive units, 1-7*a*
 - operational readiness training, 3-8*b*
 - team cohesion, 3-9*a*
- combat capability, 1-5*d*
- combat exhaustion, 1-4*b*(2)
- combat fatigue, 2-9*d*
- combat lifesaver, 1-3*a*
- combat reaction, 5-1*c*
- combat refusal, 4-13*a*
- combat service support, 1-4*b*(3), 5-4*e*(4), 8-2*a*(1), 8-3*d*, 9-5*i*
- combat stress, 1-2*a*, 4-3, Appendix E
 - behaviors, Table 2-2, 2-9—10
 - heroism, 3-11*a*
 - positive, 2-2, 2-4, 2-9, 2-11*e*, 3-11*a*, 3-12 and PTSD relationship, Figure 2-4
 - control, 1-1, 1-3, D-1
 - in Army operations, B-4*g*
 - preventive team, B-4*d*—*f*
 - program, 1-9, B-2*a*
 - restoration team, B-4*d*(2), B-4*f*
 - controlled, 1-2*a*

- combat stress (*continued*)
 - prevention, B-4g
 - reaction, 2-2e(2), 2-5c, 2-9d, 5-1
 - symptoms, 5-1
 - uncontrolled, 1-2a
- combat stress control functions, B-2b
 - consultation, B-2b(1)
 - reorganization (reconstitution) support, B-2b(2)
- combat support, 8-3d
- combat zone, 4-18c
- command and control, 10-2f
- communications, 10-2e
- communications zone, 1-3b, 1-8a, 4-18c
- conflict fatigue, 5-4c, Appendix E
- contingency operations, 7-2c—d
- continuum of Army Life, 1-3, B-5
 - location, 1-3b, B-5
 - mission, 1-3c, B-5
 - responsibility, 1-3a, B-5
- corps, B-4f(4)
- counterfatigue measures, A-9b(5)
- courage, 1-5a
- crisis fatigue, 5-4c
- crisis stress control, 1-4d
- critical events debriefing, 2-11f, 6-2g
 - cautions, 6-2h
- critical incident debriefing, 9-4c(2)
- cultural differences, 4-19m
- Department of Veterans Affairs, 1-3b
- disease and nonbattle injuries, 1-5d
- division mental health, B-4g(2)
- esprit de corps, 1-4b(4), 3-9a
- family support group, 7-2c(2)(b)
- fatigue, 2-6
 - center, B-4e
 - emotional, 2-6f(2)
 - field, 5-4c
 - mental, 2-6c
 - physical, 2-6f(1)
 - simple, 5-3a
- fight or flight reflex, 2-2c, 2-6e, 2-7a
- force, 9-5c
- fragging, 1-4c(2)
- fraternization, 4-9a, A-2b(4)
- fratricide, 10-2c, 10-3e(1)(l)
- fugue state, 5-3d
- gas hysteria, 1-4a(1)(a)2
- gas mania, 1-4a(1)(a)2
- grief process, D-5c
- heat acclimatization, 2-4a—b
- high-tech battlefield, 1-6
 - challenge
 - of higher rates of casualties, 1-6b
 - of human-technological imbalance, 1-6c
 - of isolation, 1-6a
 - of mental rigors of combat, 1-6d
 - of the battlefield, 1-6
- high-tech weapons, 10-2d
- home station, 1-3b
- horizontal bonding. (*See* bonding.)
- hospital
 - base, 1-4a
 - neurological, 1-4a
- host nation, 7-2b
- human endurance, 1-6d
- in brief, new arrival, A-2b
- Information
 - flow, A-7b
 - public affairs, 4-20a
- Iraq, Table 1-1, 1-6
- Israeli Defense Force, 1-4a—b
- Joint and combined operations, 7-2b
 - battle fatigue casualties, 7-1, 7-2b(1), 7-2d
 - misconduct stress behaviors, 7-1, 7-2b(1)
- junior leaders, 1-1, Table 1-2, Table 1-3, 1-7b and c, Table 7-1, 11-3
- Kuwait, 1-6
- Law of Land Warfare, 2-9c, 4-3, 4-20a, 11-1
 - violations, 4-3
- leadership, 1-1, 1-2a and c, 1-4a—b, 1-5e, 1-7b, 11-2a
- Lebanon invasion, 1-4b(6)
- lessons learned, A-2c(2)(d)
- malingers, 4-16
- medical
 - brigade, B-4f(4)
 - company, combat stress control, B-4d and f
 - detachment, combat stress control, B-4d—e
 - group, B-4f(4)
 - personnel, Table 1-6, 1-7f

- medics, 1-3c, 1-5b
- mental health/combat stress control
 - personnel, 1-1, 1-3, 11-2b, B-2a
 - team, 1-8a
- misconduct stress behavior, 1-4c(2), 1-5e, 1-9, Table 2-2, 2-9c, 2-10, 2-11d, Chapter 4, 5-1b, 7-1, 8-3f, D-4, D-5a, p. E-4
 - being absent without leave or deserting, 4-12
 - fighting with allies or United States forces, 4-11
 - killing enemy prisoners, 4-5
 - killing noncombatants, 4-10
 - looting, pillage, and rape, 4-8
 - mutilating enemy dead, 4-6
 - no prisoners, 4-4
 - refusing to obey an order, 4-13
 - threatening to kill or killing unit leaders and other soldiers, 4-14
 - using excessive force or brutality, 4-7
- mission-oriented protective posture. (See nuclear, biological, and chemical.)
- mobile psychiatric detachment, 1-4a(3)
- morale
 - indications of poor morale in a unit, 4-2
 - support, C-1
- muscle strength, 2-4a(3)
- National Command Authority, 7-2b(2), 9-5c
- neuropsychiatric casualty, 1-4b(3)
- noncommissioned officer, 1-3a
- not yet diagnosed, nervous, 1-4a(1)(a)1
- nuclear, biological, and chemical
 - biological warfare, 10-3c
 - infectious organisms, 10-3c(3)
 - mycotoxin (yellow rain), 10-3c(1)
 - isolation and loss of unit cohesion, 10-3e(1)(m)
 - mission-oriented protective posture, 10-3e
 - flexible, A-8b(4)
 - level, A-8b
 - training, A-8b(8)
 - nuclear warfare, 10-3b
 - nuclear winter scenario, 10-3b(2)
 - overreaction battle fatigue, 10-3e(1)(b)
 - congregating in safe area, 10-3e(1)(i)
- nuclear, biological, and chemical
 - overreaction battle fatigue (*continued*)
 - excessive anxiety and phobic avoidance, 10-3e(1)(g)
 - excessive decontamination (obsessive compulsive cleaning), 10-3e(1)(h)
 - malinger, 10-3e(1)(d)
 - panic flight, 10-3e(1)(e)
 - risk to leaders, 10-3e(1)(l)
 - rumors, 10-3e(1)(f)
 - stress reaction, 10-3e
 - suspiciousness, 10-3e(1)(k)
 - threat, 10-3a
 - contingencies and preparation, A-8b
 - underreaction, 10-3e(2)
 - denial, 10-3e(2)(a)
 - false alarm, 10-3e(2)(d)
 - fatalism, 10-3e(2)(c)
 - intellectualization, 10-3e(2)(g)
 - overconfidence, 10-3e(2)(e)
 - pie in the sky, 10-3e(2)(f)
 - rationalization, 10-3e(2)(b)
 - weapons, 1-6b and d
- occupational therapy officer, 1-8a, B-4d(2)
- operations other than war. (See Army operations.)
- peacetime contingency operations. (See Army operations, other than war.)
- personal bonding. (See bonding.)
- physical fitness, pp. E-4, E-12
- physical well-being of troops, A-10b
- post-traumatic stress disorder, 1-4c(2), 2-11, Chapter 6, 9-4a(3), 10-1, A-2c, B-4g(3)
 - acute, 6-1d
 - chronic, 6-1d
 - delayed, 6-1d
 - diagnosis, 6-1c, 6-1e
 - diagnostic criteria, Table 6-1
 - flashback, 6-2d
 - leaders responsibility to prevent, 2-11f
 - mental health/combat stress control personnel responsibilities, 6-4
 - preventive measures, 2-11b
 - symptoms, 6-2d
- post-Vietnam syndrome, 6-1a

- preventable disease and nonbattle injuries, 4-17b
 psych casualty, p. E-5
 psychiatric nurse, 1-8a, B-4d
 psychiatrist, 1-8a
 psychological
 stress, 1-5e
 trauma, 6-2a
 preventive treatment, 6-2e
 psychotic, 1-4b(3)
 public affairs, 4-20a, 9-1c(2), A-7b(2)
 racial and ethnic tension, 4-19l
 rapid deployment, 7-2c(2)(a)
 recognition, 3-4b
 awards, 3-4b
 desire for, 3-4b
 reconstitution, D-5c
 religious faith, 3-6
 religious support, D-3
 rest and recuperation, 1-4c(1)
 rules of engagement, 7-2f
 self-esteem, 2-5a
 self-inflicted wound, 4-17a
 senior leaders, 1-1
 sense of eliteness, 3-4
 sense of purpose, 3-5
 sensors, 10-2e
 sexual favoritism, 4-9a
 sexual misconduct, 4-9a(1)
 sexually transmitted diseases, 4-17b
 sleep, 2-6b, 8-3c
 discipline, A-9b, p. E-13
 plan, 7-2h
 planning, A-9b
 social work officers, 1-8a
 Soviet CONOPS, 1-4b(5)
 Soviet-type offensive doctrine, 10-2a
 sponsor, A-2b(1)
 staff S1/G1, Table 1-4
 staff S2/G2, Table 1-4
 staff S3/G3, Table 1-4
 staff S4/G4, Table 1-4
 staff S5/G5, Table 1-4
 standards of conduct, 11-5a
 stress, 1-2d, 1-4b(3), 2-2c, 2-5, D-1, D-2
 appraisal, 2-2d
 stress (*continued*)
 combat, 2-2g
 control, 1-3b, 1-3c, 11-3
 misconduct prevention, 11-5
 objectives, 1-2e
 relaxation techniques, 11-4b
 responsibilities of
 chaplains, Table 1-5
 combat stress control units, Table 1-7,
 1-8a
 individual, 11-4a
 junior (direct) leaders, Table 1-3,
 1-7b—c
 mental health/combat stress control
 personnel, 1-8
 senior leaders, Table 1-2, 1-7b
 staff, Table 1-4, 1-7d
 team, 9-4c(1)—(2)
 unit leaders, 11-3a
 unit medical personnel, Table 1-6
 debriefings, 1-4d
 excessive, warning signs, 4-7e(2)
 extreme, 2-5b
 fatigue 5-4c, p. E-5
 levels, 1-2f(6)
 positive, 2-4
 reaction, 2-5c
 stressors, 1-2a, 2-2, 2-5a, 11-1
 cognitive, Table 2-1, 2-4d
 combat, 2-2b
 emotional, Table 2-1, 2-4d
 environmental, Table 2-1
 mental, Table 2-1, 2-2e, 2-3a, c—d, 2-4d
 negative, 2-2a
 overstrain, 2-4b
 physical, Table 2-1, 2-2e, 2-3, 2-4c
 physiological, Table 2-1, 2-3a
 positive, 2-2a
 tactical standing operating procedures, 2-3d
 tolerance, 2-4e
 substance abuse, 4-18
 amphetamines, 4-18d
 anabolic steroids, 4-18b
 atropine, 4-18b
 dependency/addiction, 4-18c

- substance abuse (*continued*)
 - detoxication, 4-18c
 - hallucinogenic drugs, 4-18b
 - intoxication, 4-18b
 - prevention and control, 4-19
 - related problems, 4-18b
 - stimulants, 4-18b
- Suez Canal, 1-4b(5)
- suicide
 - gestures, 4-16d
 - threat, 4-16d
- sustained operations, 7-2h
- task-organized combat stress control element, B-4f
- terrorism, 9-4a. (*See also* Army operations, other than war, combatting terrorism.)
- Third World countries, 7-3a
- threat, 1-5e, 7-2a, 7-3a, A-5b. (*See also* nuclear, biological, and chemical threat.)
 - protective measures, A-6b
- training, 1-3c, 2-4b(2), 2-4c, 6-2f(3), 7-2g, 11-2b, A-3b(2), A-4b(2), D-1, Appendix E
 - COHORT, 3-8b
 - MOPP, 2-4a(1), A-8b(7)—(8) and (10)—(14)
 - tough, realistic, 1-7a, 4-20a, A-3b(1) and (4)
- Uniform Code of Military Justice, 2-9c, 2-10, 4-7e(1), 4-9b, 11-5a
- unit cohesion, 1-2a, 1-5e, 4-7c, 4-7e(2), 4-9a(1), 4-19o, 4-20a, 5-2d(2), 11-1, A-2a(4), A-2b, p. E-12
 - cohesiveness, 1-4b(4)
 - esprit, A-2a(4). (*See also* esprit de corps.)
 - leader, Table 1-2, Table 1-3
- unit cohesion (*continued*)
 - pride and identity, A-2b(2)
 - self-image, 4-20b
- United States Army Surgeon General, 1-4a(1)(a)
- urban combat, 7-2e
- veteran and short-timer syndrome, A-12b
- victims, 9-4c
- Vietnam, 1-4c
 - battle fatigue, 1-4c(1)
 - My Lai, 1-4c(2)
 - neuropsychiatric casualties, 1-4c(2)
 - stress, 1-4c(2)
- war, 1-3c
 - battle fatigue factors, Table 10-1
 - crimes, 4-6b, 4-7a, 4-10b
 - lines of operations, 10-2c
 - neurosis, 6-1a
 - stress producing aspects, Table 10-1
 - sustained operations, 10-1
- water discipline, A-10b(1)
- World War I, 1-4a(1)
 - stress, three echelon system, 1-4a(1)(a)—(b)
 - first echelon, 1-4a(1)(a)1
 - second echelon, 1-4a(1)(a)2
 - third echelon, 1-4a(1)(a)3
- World War II, 1-4a(2)
 - division psychiatrist, 1-4a(2)
 - Pacific Theater, 1-4b(3)
 - regimental surgeon, 1-4a(2)
 - shell shock, 1-4a(1)(a)1
 - training and rehabilitation center, 1-4a(2)
 - war neurosis, 1-4a(1)(a)1
- Yom Kippur War, 1-4b(5), 5-2d(3)